ADDRESS ALL COMMUNICATIONS TO BOSTON OFFICE.

HARLAN P. KELSEY, HARDY AMERICAN PLANTS.

LONG DISTANCE TELEPHONE.
CABLE ADDRESS, "KELMONT-BOSTON."
WESTERN UNION AND A. B. C. CODES.

PROPRIETOR HIGHLANDS NURSERY, KAWANA, NORTH CAROLINA. RAREST NATIVE RHODODENDRONS, AZALEAS, KALMIAS, ETC.

LANDSCAPE DESIGN FOR NATURAL EFFECTS.

BEACON BUILDING,

BOSTON, MASS., U. S. A., Apr. 6, 1905.

Missouri Botanic Gardens,

Mr. H. C. Irish, Dir.,

St. Louis, Mo.

Gentlemen:

In making room for greatly increased plantings of <u>strictly</u>
hardy Rhododendrons, Azaleas, Kalmias and other special plants, I
have decided to materially reduce my stock of many ornamentals and
the enclosed "Surplus" is the result. It is an unusual opportunity
to secure fine stock at unusual prices for spring sales, planting,
or lining out.

Such a chance will hardly occur again, so please examine entire list carefully and place order by return mail.

Yours truly,

K/J.P. W.

HARLAN P. KELSEY.

1911



Surolus Stock offered by HARLAN P. KELSEY, 6 BEACON EXPERT.
BOSTON, MASS. All stock transplanted unless specially noted.

Trees, Shrubs & Evergreens.

```
520 Acer pennsylvanicum, 2-3 ft. @ 7¢
      " rubrum, 2-3 ft. @ 4¢
 550
          spicatum, 2-3 ft. @ 75
 280
 239 Aesculus octandra, 1-2 ft. @ 3¢
 475 Amelanchier botryapium, 2-3 ft. @ 7¢
1590 Fetula lenta, 2-4 ft. 9 227
                    4-6 ft. @ 6;
 160
                    6-8 ft. @ 110
 290
             lutea, 2-4 ft. 3 250
2300
                    4-5 ft. @ ?
 100
             nigra, 2-4 ft, 6 47
2500
                     4-6 ft. 9 11¢
 600
             papyrifera, 4-6 ft.
 130
      Carpinus caroliniana, 2-3 ft. 0 6¢
 500
      Castanea dentata, 2-3 ft. @ 3;
 190
                         3-4 ft. 0 61;
 500
          11
                     22
                     ef
  50
1400 Catalpa speciosa, 1-2
 540 Jornus alinguifolia, 1-9
                     22
                            5 4 It, 0
  50
 670 Fraxinus lanceolata, 1-2 ft. 🗈 🥱
                            2-4 ft, 18.
 140
 100 Gymnoeladus dioica, 2-4 ft. 0 7
 130 Ilex monticole, 5-6 ft. @ 18¢
1060 kampolia tripotala. 1-2 ft. O 53
 120 " 2-3 ft, @ 13¢
300 Malus corcharia, 1-2 ft. @ 18¢
 120
 700 Monrodendren carolinum, 6-12 in. 0 8¢
                                1-2 ft. @ 10¢
 980 Oxydendrum arboroum, 1-8 ft. 6 5%
 180 Prunus serotina, 4-6 ft. @ 30
 860 Ptolea trifoliata, 1-3 ft. @ 40
                          2-3 ft. 0 64
 630
       27
                 12
 600
                          3-4 ft. @ 83
1490 Quercus coccinea, 6-12 in. G ap
                 11
                         1-2 rt. 0 5¢
                         2.5 ft, @ 120
 190
              palustric, 1-2 ft. @ 83
 1090
              rubra, 1-2 ft. 0 45
1370
1100
                 11
                      2-3 ft.
                      3 - + 16 · 6
 140
 120 Rhamnus caroliniara, 1-2 ft @ 45
450 Sorbus americana, 2-3 tt. 0 120
      11
                 tI
                      3-4 ft. @ 15¢
 130
 850 Abies fraseri, 1-2 ft, 0 40
 500 Magnelia glauca the penniana, 6-9 in. 6 6¢
 140 Picea marlana, 2-5 ft. 0 5
                      3-4 16, @ 8
 1.30
1.000 Pinus contorta, 1-8 rt. C 65
```



```
1960 Pinus contorta, 1-2 for 3 44
3860 " strobus, 6-12 in. @ 30
                      1-2 ft. @ 74
        52
                8.3
 3430
                " 2-3 ft. @ 125¢
      17
 480
4300 Pseudotsuga taxifolia, 3-6 in. @ 2¢
 660 . 11
                              6-12 in. @ 8¢
      Thuja occidentalis, 6-12 in. @ 1/2 p
12000
      n n
                           1-2 ft. @ 220
 2740
                           2-3 ft. @ 63
 400
4200 Tsuga canadensis, 12-18 in. 9 62
1550 " " 18-24 in. 9 1250
      17 17
                          2-3 ft. @ 227
        17
                  18
  350
       13
                          3-4 ft. @ 405
  250
  550 Alnus alnobetula, 2-3 ft. @ 150
  320 Alnus alnobetula, 3-4 ft. @ 201
      11 4-6 ft. @ 30¢
  150
  140 Aralia spinosa, 2-4 ft. @ 15¢
  300 Aronia nigra, 2-3 ft, @ 119
  480 Benzein benzein, 1-2 ft. @ 7¢
 990 Berberis thumbergii, 1-2 ft. @ 64
 4440 Butneria florida, 6-12 in. @ 1¢
                         1-2 ft. @ 150
                        2-3 ft. cls. 2 15¢
         2.2
                   51
  130
 1030 Ceanothus americana, 12-18 in. cls. @ 12\frac{1}{5}\phi 200 " 18-24 in. cls. @ 20\phi
  970 Chionanthus virginica. 1-2 ft. @ 56
  700 " "
                               2-3 ft. 3 12td
  100
                      17
  270 Methry apprinate. 3-4 ft.
 2130 " almifolia, 1—2 ft. cls. \odot 4\frac{1}{2}\frac{1}{2}
 2130
                          2-3 ft. cls. 0 15
  760 Comptonia peregrina, 1-3 ft. 3 3/
 5000 Cornus amonum, 3-6 in. 3 35. per de
           11
 2000
                      6-12 in. S. 3 lo
                     1-2 ft. @ 25
       11
 116
 1020
 800
  730 Corylus rostrata, 1-2 ft. d 46
 1050 Diervilla sessilifolia, 2-3 ft. cls. 3 76
  200 Hamamelis virginica, 3-4 ft. @ 14¢
 2160 Ligustrum regellanum, 6-12 in. @ 16
  200 Prunus maritima, 1-2 ft. @ 3¢
  560 Rhus copallina, 2-3 ft. 3 8
  100
               17
                       3-4 ft. 0 124
  190 " glabra, 3-5 ft. @ 12¢
300 " hirta (typhina) 2-4 ft. @ 7¢
570 Robinia hispida, 2-3 ft. 6 6 170 " viscosa, 2-3 ft. 7 7 1000 Rosa blanda, 1-2 ft. 6 4 2060 " carolina, 1-2 ft. 6 13 4
           " 2-3 ft. 3 4¢
        11
  400
 960 " rubiginosa, 1-2 ft. @ 7¢
1800 " setigera, 2-3 ft. ® 8¢
 1200 Rubus odoratus, 1-2 ft. @ 24
 600 Spiraea salicifolia, 3-3 ft. cls. @ 24
150 " "
                            3-4 ft. cls. @ 3;
        . 11
                  11
 150
                            4-6 ft. cls. @ 4¢
  500 Symphoricarpus racemosus, 3-22 ft. @ &
  100 Viturnum scenifolium, 3-4 ft. @ 300
5390 Kanthourhiga actifolia, 8-18 in 0 4
```



```
420 Chamaedaphne calyculata, 12-18 in, cls. @ 100
10000 Hypericum densiflorum, 6-12 in. S. @ $5. per d.
                               1-2 ft. S. @ $7. per M.
LUUJO
                               2-3 ft. 3 3¢
  320
  720
                 Profificum, 1-2 ft. @ 5¢
                              2-3 ft. @ 8¢
  120
 1540 Bignonia crucigora, 6-9 in. @ 20
1400 Celastrus acamions, 2-3 ft. @ 5¢
300 Lonicera dioica. 2-3 ft. @ 12¢
7390 " japonica, var. halliana, 3 yrs. hvy. els. @ 2½¢
  250 Rubus canadensis. 1-2 ft. @ 24
  100
       " laciniatue, 1-2 ft. @ 80
 2280 Vinca minor, els. @ 3¢
                  Herbacesus Plants.
  410 Asplenium Telix-foemina, @ 40
  300 Onoclea sensibilis, @ 4¢
  600 Osmunda cinnamomea. 3 56
         - 11
              claytoniana, @ 4¢
 1740 Helonias bullata, 3 3¢
  480 Iris versicolor, & 36
 2040 Linodorum tuberosum, @ 40
  633 Ricuculla eximia, els. 3 7$
  760 Chrosperma muscaetoxicum, * 24
 8900 Lilium superbun, 2nd size, & 23
 1400 Trillian erestan, G 180
               stylonum. B Ro
  3/3 Assaitam uncidatum, a
250 Amsonia amsonia, 3 57
  300 Aquilegia senadensia, ols. 3 74
  180 Aralia raseloga, & 30
  740 Arunous arunous, 3 80
  530 Baotisia australis. 4 10¢
  350
      " tinetoria, 3 34
  450 Carex fraseri, @ 5¢
 1000 Cassia marylandica, @ 10
  770 Cinicifura americana, 8 35
 1040
 1500 Coreonsis lanceolata, @ 1
 1000 Helianthus strumosus, @ 130
  660 Hepatica acuta, @ 24
  300 Heuchera americana, @ 30
  320 Hibiseus, criason eye, 🦪 35
 1270 Iris cristata, els. 3 3d
 1850 Lacinaria pychostachya scariosa, S. 1 yr. 🖘 🕾
 780 " spicata punila, 1
  800 Polygonatum biflorum, @ 24
  350
                  commutatum, @ 50
  530 Porteranthus stipulatus, @ 54
  490 Potentilla tridentata, 3 7¢
 170 Thermopsis caroliniana, stg. @ 86 1170 Uvularia perfoliata, @ 16
  460 Vagneria racemosa, @ 3¢
 1190 Viola medata, @ 3¢
 2100 /acca flaccida, cls. @ 40
```

